

## SELENIUM

-----

## DAY4

-----

### Debug

Xpath contains, text

getText();

getAttribute();

### QUESTIONS(Theory)

-----

- 1.What is the purpose of debug?
- 2.What is the steps for debug?
- 3.What are the types of debug?
- 4.How to take a locator in which contains no tag?
- 5.How to print a paragraph from webpage?
- 6.What are the methods to get and print the text from webpage?
- 7.What is the purpose of getText() and getAttribute() ?
- 8.What is the return type of getText() and getAttribute() ?
- 9.In which interface getText() and getAttribute() is available?
- 10.What are the difference between getText() and getAttribute()?

11. Whether it is possible to get the text from webpage without using getText()?

QUESTIONS(Practical)

-----

QUESTION 1

-----

URL : <https://www.facebook.com/>

NOTE: Print the email and password which was entered by user

QUESTION 2

-----

URL : <http://www.google.com/>

NOTE: Search velmurugan and click the 1st link.

QUESTION 3

-----

URL : <http://adactinhotelapp.com/>

NOTE: Print the UserName and Password that you are entered.

QUESTION 4

-----

URL : <https://www.snapdeal.com/>

NOTE: Search any product and click 1st product

#### QUESTION 5

-----

URL : <https://www.flipkart.com/>

NOTE: Search any product and click 1st product

#### QUESTION 6

-----

URL : <https://www.flipkart.com/>

NOTE: Click login and enter User name password

Print the details you are given.

#### QUESTION 7

-----

URL : <https://www.shopclues.com/wholesale.html>

NOTE: Search any product and click 1st product